



**DUKERS**  
Quality Commercial Refrigeration



## CAKE SHOWCASE

DDM36R/48R/60R/72R









### TECHNICAL SPECIFICATIONS

Refrigerant  
**R290**  
Type of Defrost  
**Automatic**  
Interior Finish  
**Stainless Steel**  
Exterior Finish  
**Stainless Steel**  
Temperature Range °F  
**33 ~ 41°F**  
Compressor Power (HP)  
**36R/48R/60R: 4/9**  
**72R: 4/7**  
Nema Config.  
**NEMA5-20P**



### PRODUCT FEATURES

-  Copper evaporator, highly durable and corrosion-resistant.
-  Digital temperature controls with LED display for precise adjustment and automatic defrosting system.
-  Temperature Range 33 ~ 41°F, with auto defrost function, which ensures optimal performance day-in and day-out.
-  R290 Natural Refrigerant promotes faster cool down and efficient energy consumption.
-  Side glasses, Interior and canopy LED light with switch on the right side to always show your products at their best
-  Tempered glass, shatter and temperature resistant, durable, and safe.



### HIGH QUALITY & ROBUST DESIGN



**DUKERS**

Los Angeles | San Francisco | Dallas  
Houston | Florida | Chicago | New Jersey

1-800-931-8628


@ info@dukersusa.com

www.DukersUSA.com


# DETAILS & SPECIFICATIONS

## DDM36R/48R/60R/72R


DDM36R




DDM60R



DDM48R



DDM72R



MODEL	EXTERNAL DIMENSION WXDXH (INCHES)	PACKAGING DIMENSION WXDXH (INCHES)	PRODUCT NET WEIGHT	PRODUCT GROSS WEIGHT	40HQ CONTAINER CERT.
DDM36R	36 x 28 1/2 x 51	39 3/8 x 33 4/8 x 56 2/8	200 lbs	225 lbs	26
DDM48R	48 x 28 1/2 x 51	51 1/8 x 33 4/8 x 56 2/8	220 lbs	245 lbs	22
DDM60R	60 x 28 1/2 x 51	63 x 33 4/8 x 56 2/8	270 lbs	300 lbs	13
DDM72R	72 x 28 1/2 x 51	74 6/8 x 33 4/8 x 56 2/8	300 lbs	330 lbs	13



Los Angeles | San Francisco | Dallas  
Houston | Florida | Chicago | New Jersey

1-800-931-8628

@ info@dukersusa.com

www.DukersUSA.com



# CAKE SHOWCASE

DDM36R/48R/60R/72R-CB



## TECHNICAL SPECIFICATIONS

- Refrigerant  
**R290**
- Type of Defrost  
**Automatic**
- Interior Finish  
**Stainless Steel**
- Exterior Finish  
**Black**
- Temperature Range °F  
**33 ~ 41°F**
- Compressor Power (HP)  
**36R/48R/60R: 4/9**  
**72R: 4/7**
- Nema Config.  
**NEMA5-20P**



## PRODUCT FEATURES

- Copper evaporator, highly durable and corrosion-resistant.
- Digital temperature controls with LED display for precise adjustment and automatic defrosting system.
- Temperature Range 33 ~ 41°F, with auto defrost function, which ensures optimal performance day-in and day-out.
- R290 Natural Refrigerant promotes faster cool down and efficient energy consumption.
- Side glasses, Interior and canopy LED light with switch on the right side to always show your products at their best
- Tempered glass, shatter and temperature resistant, durable, and safe.



## HIGH QUALITY & ROBUST DESIGN



Los Angeles | San Francisco | Dallas  
Houston | Florida | Chicago | New Jersey

1-800-931-8628


@ info@dukersusa.com

www.DukersUSA.com


# DETAILS & SPECIFICATIONS

## DDM36R/48R/60R/72R-CB


DDM36R-CB




DDM60R-CB



DDM48R-CB



DDM72R-CB



MODEL	EXTERNAL DIMENSION WXDXH (INCHES)	PACKAGING DIMENSION WXDXH (INCHES)	PRODUCT NET WEIGHT	PRODUCT GROSS WEIGHT	40HQ CONTAINER CERT.
DDM36R-CB	36 x 29 7/8 x 53 1/2	39 3/8 x 33 4/8 x 56 2/8	190 lbs	215 lbs	26
DDM48R-CB	48 x 29 7/8 x 53 1/2	51 1/8 x 33 4/8 x 56 2/8	220 lbs	245 lbs	22
DDM60R-CB	60 x 29 7/8 x 53 1/2	63 x 33 4/8 x 56 2/8	270 lbs	300 lbs	13
DDM72R-CB	72 x 29 7/8 x 53 1/2	74 6/8 x 33 4/8 x 56 2/8	300 lbs	330 lbs	13



Los Angeles | San Francisco | Dallas  
Houston | Florida | Chicago | New Jersey

1-800-931-8628

@ info@dukersusa.com

www.DukersUSA.com