

HP WASH 40

dishwasher

Principal Features:


- custom washing times
- energy consumption/h 3.25 Kw
- maximum tableware height inch. 11 ^{13/32"}
- basket size inch. 15 ^{3/4"}x15 ^{3/4"}
- 140°F wash temperature
- 185°F rinse temperature

Strengths:

- Personalized functions
- Double display with temperatures view
- Electric rinse-aid pump
- Stainless steel rinse jet
- Easy maintenance
- Deep drawn tank
- Front accessibility

Optionals:


- Internal Led light
- Built-in Water softner
- Basket
- Platerack
- Cutlery basket



Easy maintenance and quick access to most components without having to remove the machine from the built-in cabine.

Specifications

Plug & Cord: NEMA 6-20 P



	Absorbed power	Power source	Booster heater	Tank heating element	Horse power wash pump	Water consumption per cycle	Boiler capacity	Tank capacity	Water pressure	Dishwasher rack dimensions
	kw/h		kw	kw	Hp	gal	gal	gal	bar	inch.
Hp Wash 40	3,25	208-240V, 60Hz, 1ph, 16 A	3	2	0,2	0,66	1	1,7	3-5	15 ^{3/4"} x15 ^{3/4"}

HP WASH 50 - 50 PLUS

dishwasher

Principal Features:


- 5 washing times
- energy consumption/h 3.9 Kw and 6.9 Kw mod. Plus
- maximum tableware height inch. 13^{25/32}"
- basket size inch. 19^{11/16}" x 19^{11/16}"
- 140°F wash temperature
- 185°F rinse temperature

Strengths:



- Personalized functions
- Double display with temperatures view
- Electric rinse-aid pump
- Stainless steel rinse Jet
- Easy maintenance
- Deep drawn tank and insulated boiler
- Front accessibility

Optionals:

- Internal Led light
- Rinse pump mod. 50
- Built-in Water softner
- Basket
- Platerack
- Cutlery basket



Easy maintenance and quick access to most components without having to remove the machine from the built-in cabine.



Specifications

Plug & Cord: NEMA 6-20 P

	Absorbed power	Power source	Booster heater	Tank heating element	Horse power wash pump	Water consumption per cycle	Boiler capacity	Tank capacity	Water pressure	Dishwasher rack dimensions
	kw/h		kw	kw	Hp	gal	gal	gal	bar	inch.
Hp Wash 50	3,9	208-240V, 60Hz, 1ph, 16 A	3	2	1	0,66	1,6	5,5	3-5	19 ^{11/16} " x 19 ^{11/16} "
Hp Wash 50 Plus	6,9	208-240V, 60Hz, 1ph, 32 A	6	2	1	0,66	1,6	5,5	3-5	19 ^{11/16} " x 19 ^{11/16} "

HP WASH 50 H

dishwasher

Principal Features:



- 5 washing times
- energy consumption/h 10 Kw
- maximum tableware height inch. 15 3/4"
- basket size inch. 19 11/16"x19 11/16"
- 140°F wash temperature
- 185°F rinse temperature

Strengths:

- Personalized functions
- Double display with temperatures view
- Electric rinse-aid pump
- Stainless steel rinse jet
- Easy maintenance
- Deep drawn tank and insulated boiler
- Front accessibility
- Washtank filter

Optionals:

- Internal Led light
- Basket
- Platerack
- Cutlery basket




	Absorbed power	Power source	Booster heater	Tank heating element	Horse power wash pump	Water consumption per cycle	Boiler capacity	Tank capacity	Water pressure	Dishwasher rack dimensions
	kw/h		kw	kw	Hp	gal	gal	gal	bar	inch.
Hp Wash 50 H	10	208-240V, 60Hz, 1ph, 50 A	9	3	1,2	0,66	1,6	7,1	3-5	19 11/16" x 19 11/16"

Accessories dishwasher


plastic baskets Cambro

U3290




Glasses basket 19 11/16" x 19 11/16"

U3291



Glasses basket 19 11/16" x 19 11/16"

U3292



Platerack 19 11/16" x 19 11/16" (9x9)

U3293




Platerack 19 11/16" x 19 11/16" (5x9)

U3294



Cutlery basket with 8 compartment

U3295



Cutlery basket

General dishwasher features

Included	Auto-fill	Number of cycle	Wash cycle times	Rack per hour	Water inlet size	Water drain outlet	Recovery time	Electronic protection
		n.	sec.	n.	gas	inch.	min.	
HP Wash 40 Detergent and rinse aid pump Built-in drain pump Booster heater Soft start Rack Standard filter	3/4 water inlet	5	70/120/180/240/300	30	3/4"	ø 1 3/16"	2	IPX1
HP Wash 50 Detergent and rinse aid pump Built-in drain pump Booster heater Soft start Rack Standard filter	3/4 water inlet	5	70/120/180/240/300	30	3/4"	ø 1 3/16"	2	IPX1
HP Wash 50 Plus Detergent and rinse aid pump Built-in drain and rinse pump Booster heater Soft start Extra rinse pump Rack Standard filter Heavy duty second filter	3/4 water inlet	5	70/120/180/240/300	40	3/4"	ø 1 3/16"	1	IPX1
HP Wash 50H Detergent and rinse aid pump Built-in drain and rinse pump Booster heater Extra rinse pump Rack Standard filter Heavy duty second filter	3/4 water inlet	5	70/120/180/240/300	60	3/4"	ø 1 3/16"	1	IPX1