




















### Powerful / Efficient / Durable

The ideal appliance for dispensing all kind of cold beverage such as fruit juices (with pulp or not), sangria, lemonades, water, iced tea, iced coffee or milk, premixed drinks from concentrate or powder...

Dedicated to bars, hotels, restaurants, institutions, fast-foods, pizzerias, snack shops or sandwich bars...

Easy to use: just press the glass or the jug against the tap to get the drink.



# Dispenser #34

### A large range of dispensers available







www.santos.fr



34 - I (single bowl)
12 liter capacity



34 - 2 (twin bowl) 2 x 12 liter capacity



34 - 3 (triple bowl)
3 x 12 liter capacity

## Reliable and performing refrigeration system

Wide air-cooling condenser to continuously chill the drinks

Adjustable thermostat (one for each bowl) according to local climate conditions and required drinks temperature



Specific fan for better efficiency

High pressure hermetically sealed compressor. High quality and long lasting compressor designed for tropical countries. Very silent. RI34a fluid

# Technical specifications

3 models available in different voltages: 220-240V - 50 Hz - CE; 220-240V - 60 Hz - CE; 110-120V - 50/60 Hz - CE

		,,	
	l Bowl	2 Bowls	3 Bowls
	l x l2 litre	2 x I2 litrø	3 x I2 litre
	160 W - I/5 HP	260 W - I/3 HP	330 W - 3/7 HP
	16 kg - 35 lbs	23.5 kg - 52 lbs	30.5 kg - 71 lbs
	17 kg - 38 lbs	25.5 kg - 56 lbs	34.5 kg - 76 lbs
Height:	545 mm - 21"	545 mm - 21"	545 mm - 21"
Width:	190 mm - 7.5"	380 mm - 15"	570 mm - 22.5"
Depth:	430 mm - I7"	430 mm - I7"	430 mm - I7"
3	60 g	139 g	200 g
	Height: Width:	I Bowl I x I2 litre I60 W - I/5 HP I6 kg - 35 lbs I7 kg - 38 lbs Height: 545 mm - 21" Width: I90 mm - 7.5" Depth: 430 mm - 17"	I Bowl   2 Bowls

# Safety - Standards - Hygiene

In accordance with the following regulations:

- ♦ Machinery directive 2006/42/EC
- ◆ Electromagnetic compatibility 2004/108/EC
- ◆ "Low voltage " directive 2006/95/EC
- ◆ Regulation 1935/2004/EC (contact with food)
- ♦ RoHS directive 2002/95/EC

#### Thermal safety

Overload protection integrated in compressor.

- Harmonized European standards
   EN ISO 12100-1 and 2: 2004 EN 60204-1: 2006
   EN 60335-2-64: 2004 Commercial electric kitchen machines
- ◆ CE (Europe)

#### Hygiene

All the parts in contact with beverage are made of alimentary materials and are removable without any tool.

PRODUCT: 2-YEAR WARRANTY - MOTOR: 5-YEAR WARRANTY



Cold drink dispenser #34 (34-2 exploded view)\*

www.santos.fr 34109C 34104C 34106 34483-2 34105C 34500-2 34482-2 34501E-2 34481B 34481-11 220-240V 50Hz 34470F 220-240V 34470A 110-120V 34481-13 110-120V 60Hz 34480-21 220-240V 50Hz 34480-23 110-120V 60Hz 34423-2 34421-2 34420-2 34200 220-240V 50Hz 34200B 110-120V 60Hz 34201 220-240V 50Hz 34201B 110-120V 60Hz 34492 220-240V 50Hz 34492B 110-120V 60Hz 

<sup>\*</sup> For 34-1 or 34-3 exploded views. please visit our website